




2-Furanylbenzyl fentanyl

The Drug Enforcement Administration's Special Testing and Research Laboratory generated this monograph using structurally confirmed reference material.



1. GENERAL INFORMATION

IUPAC Name: N-(1-benzylpiperidin-4-yl)-N-phenylfuran-2-carboxamide

CAS#: NA

Synonyms: NA

Source: DEA Reference Material Collection

Appearance: White powder

UV_{max}(nm): Not determined

2. CHEMICAL AND PHYSICAL DATA

2.1 CHEMICAL DATA

Form	Chemical Formula	Molecular Weight	Melting Point (°C)
Base	C ₂₃ H ₂₄ N ₂ O ₂	360.45	Not Determined



2-Furanylbenzyl fentanyl

The Drug Enforcement Administration's Special Testing and Research Laboratory generated this monograph using structurally confirmed reference material.




3. QUALITATIVE DATA

3.1 NUCLEAR MAGNETIC RESONANCE

Sample Preparation: Dilute analyte to ~10 mg/mL in DMSO- d_6 containing TMS for 0 ppm reference and dimethylfumarate as quantitative internal standard.

Instrument: 400 MHz NMR spectrometer
Parameters: Spectral width: at least containing -3 ppm through 13 ppm
Pulse angle: 90°
Delay between pulses: 45 seconds

^1H NMR: 2-Furanylbenzyl fentanyl base; Lot# N18-P85D; DMSO- d_6 ; 400MHz





2-Furanylbenzyl fentanyl

The Drug Enforcement Administration's Special Testing and Research Laboratory generated this monograph using structurally confirmed reference material.



3.2 GAS CHROMATOGRAPHY/MASS SPECTROMETRY

Sample Preparation: Dilute analyte ~4 mg/mL in MeOH

Instrument:

Agilent gas chromatograph operated in split mode with MS detector

Column:

HP-5 MS (or equivalent); 30m x 0.25 mm x 0.25 μ m

Carrier Gas:

Helium at 1.5 mL/min

Temperatures:

Injector: 280°C

MSD transfer line: 280°C

MS Source: 230°C

MS Quad: 150°C

Oven program:

1) 100°C initial temperature for 1.0 min

2) Ramp to 280°C at 12 °C/min

3) Hold final temperature for 9.0 min

Injection Parameters:

Split Ratio = 25:1, 1 μ L injected

MS Parameters:

Mass scan range: 30-550 amu

Threshold: 250



Tune file: stune.u

Acquisition mode: scan

Retention Time:

18.671 min

EI Mass Spectrum: 2-Furanylbenzyl fentanyl base; Lot# N18-P85D





2-Furanylbenzyl fentanyl

The Drug Enforcement Administration's Special Testing and Research Laboratory generated this monograph using structurally confirmed reference material.



3.3 INFRARED SPECTROSCOPY (FTIR)

Instrument: FTIR with diamond ATR attachment (1 bounce)

Scan Parameters:
Number of scans: 32
Number of background scans: 32
Resolution: 4 cm⁻¹
Sample gain: 1
Aperture: 150

FTIR ATR (Diamond 1 Bounce): 2-Furanylbenzyl fentanyl base; Lot# N18-P85D

