

The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material

## 1. GENERAL INFORMATION

*IUPAC Name:* 1-(3,4-dichlorobenzenesulfonamidomethyl)-cyclohexyldimethylamine;

hydrochloride

*CAS#*: 41805-08-7; 753389-49-0 (base)

Synonyms: A07

Source: Synthesized Material Lot# JLK008-107-07

Appearance: White Crystals (HCl)

 $UV_{max}$  (nm): Not Determined

## 2. CHEMICAL AND PHYSICAL DATA

## 2.1 CHEMICAL DATA

Form	Chemical Formula	Molecular Weight	Melting Point (°C)
HCl	C <sub>15</sub> H <sub>22</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub> S·HCl	401.7793 (365.3184 (base))	137.0 <u>+</u> 1.52
Base	$C_{15}H_{22}Cl_2N_2O_2S$	365.32	Not determined



The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material

# 3. QUALITATIVE DATA

## 3.1 NUCLEAR MAGNETIC RESONANCE

Sample Preparation: Dilute analyte to ~5 mg/mL in deuterated chloroform: methanol (CDCl<sub>3</sub>:CD<sub>3</sub>OD,

1:5) + TMS.


*Instrument:* 400 MHz NMR spectrometer

**Parameters:** Spectral width: 6410.3 Hz containing -3 ppm through 13 ppm

Pulse angle: 90°

Delay between pulses: 30 seconds

<sup>1</sup>H NMR: A07 HCl; Lot JLK008-107-07; CDCl<sub>3</sub>:CD<sub>3</sub>OD (1:5) + TMS; 400 MHz



Latest Revision: 09/26/2019 SWGDRUG.org/monographs.htm Page 2 of 8

The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material

### 3.2 GAS CHROMATOGRAPHY/MASS SPECTROMETRY

Sample Preparation: Dilute analyte ~ 1 mg/mL in methanol

Instrument: Shimadzu gas chromatograph operated in split mode with MS detector

Column: Rtx5MS (a DB-5 equivalent); 30m x 0.25 mm x 0.25 μm

Carrier Gas: Helium at 1 mL/min

Temperatures: Injector: 280°C

MSD transfer line: 280°C

MS Source: 200°C Oven program:

1) 90°C initial temperature for 2.0 min

2) Ramp to 300°C at 14°C/min

3) Hold final temperature for 10.0 min

Injection Parameters: Split Ratio = 1:15, 1  $\mu$ L injected


MS Parameters: Mass scan range: 34-550 amu

Threshold: 100

Tune file: 050218Tune.qgt Acquisition mode: scan

**Retention Time:** 17.42 min


EI Mass Spectrum: A07 HCl; Lot JLK008-107-07





The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material

Zoomed view (126.15 has a relative intensity of 100% and is truncated in this view)





The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material

## 3.3 INFRARED SPECTROSCOPY (FTIR)


**Instrument:** FTIR with ZnSe ATR attachment (1 bounce)

**Scan Parameters:** Number of scans: 4

Number of background scans: 4


Resolution: 4 cm<sup>-1</sup> Sample gain: 8 Aperture: 150

FTIR ATR (ZnSe, 1 Bounce): A07 HCl; Lot JLK008-107-07





The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material





The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material


## 3.4 RAMAN SPECTROSCOPY

Instrument: Rigaku Progeny 1064
Scan Parameters: Power (mW): 350

Exposure (ms): 1000

Averages: 30 Threshold: 0.80

Raman (1064 nm): A07 HCl; Lot JLK008-107-07





The Krstenansky lab at the KGI School of Pharmacy and Health Sciences generated this monograph using synthesized material

### 4. ADDITIONAL RESOURCES

1-(3,4-DICHLOROBENZAMIDOMETHYL)CYCLOHEXYLDIMETHYLAMINE Norman James Harper and George Bryan Austin Veitch US Patent 3,975,443 Aug. 17, 1976 Example 14

1-(3,4-Dichlorobenzamidomethyl)cyclohexyldimethylamine and related compounds as potential analgesics N. J. Harper, G. B. A. Veitch, and D. G. Wibberley Journal of Medicinal Chemistry 1974 17 (11), 1188-1193

DOI: 10.1021/jm00257a012

Tom Hsu, Jayapal Reddy Mallareddy, Kayla Yoshida, Vincent Bustamante, Tim Lee, John L. Krstenansky, Alexander C. Zambon, Synthesis and pharmacological characterization of ethylenediamine synthetic opioids in human  $\mu$ -opiate receptor 1 (OPRM1) expressing cells. Pharmacol. Research & Perspectives 7: e00511 (2019) doi: 10.1002/prp2.511

#### 5. ACKNOWLEDGEMENT

These data are from a project supported by Award No. 2016-R2-CX-0059, awarded by the National Institute of Justice, Office of Justice Programs, U.S. Department of Justice. The opinions, findings, and conclusions or recommendations expressed in this publication are those of the authors and do not necessarily reflect those of the Department of Justice. We also thank Rigaku Corporation for the loan of the Progeny 1064 Raman instrument.